


Exterior Wood Door Units

Standard Unit Specifications


- Jamb: Primed Pine, 5/4" x Various
- Trim: WM180 Brick Moulding, 1-1/4" x 2"
- Sill Threshold: Fixed Aluminum, Thermal Break
- Bore: 2-1/8" Face, 2-3/8" Backset
- Hinges: 4" Zinc Dichromate (3/door)
- Weatherstrip: Foam Compression
- Sweep: 4 Fin Vinyl
- Handing: Must Specify Left or Right

Door Handing Guide

SINGLE DOOR



DOUBLE DOOR



- When the door opens toward you and the knob is on the LEFT it is a LEFT HAND opening
 - When the door opens toward you and the knob is on the RIGHT it is a RIGHT HAND opening
- This description of handing applies to all the door units we build, both inswing and outswing.**

Unit Pricing

Unit Pricing		
Base	Price of standard unit (frame only)	Page A2
+	Add cost of door(s)	Section B
+	Add cost of sidelight(s)	Page A4
+	Add cost of transom sash & frame	Page A5
+	Add cost of multipoint lock	Page A6
+/-	Adjust price for options	Page A3
=	Total Unit List Price	

Exterior Wood Door Units

EDU/DEDU


Standard Door Units - Frame Only - Add Components

See Page A1 for Standard Specifications, Handing, and Unit Pricing information



Style A – Single


		Frame				
		FJ	S	514S	6916S	6916FJ
Door Size	Rough Opening	4-9/16" Fingerjoint	4-9/16" Solid	5-1/4" Solid	6-9/16" Solid	6-9/16" Fingerjoint
2'8" x 6'8"	2'10-5/8" x 6'11"	155.80	237.00	287.80	317.20	192.20
3'0" x 6'8"	3'2-5/8" x 6'11"	157.70	238.90	289.70	319.10	194.10
3'0" x 7'0"	3'2-5/8" x 7'3"		239.20			



Includes weather-stripped T-astagal

Style B – Double

		FJBH	SBH	514SBH	6916SBH	6916FJBH
Door Size	Rough Opening	4-9/16" Fingerjoint	4-9/16" Solid	5-1/4" Solid	6-9/16" Solid	6-9/16" Fingerjoint
5'0" x 6'8"	5'3-3/8" x 6'11"*	329.80	427.20	492.70	534.90	384.90
5'4" x 6'8"	5'7-3/8" x 6'11"*	329.80	427.20	492.70	534.90	384.90
6'0" x 6'8"	6'3-3/8" x 6'11"*	329.80	427.20	492.70	534.90	384.90




Style C - 1 Sidelight

		1FJ	1S	1514S	16916S	16916FJ
Door Size	Rough Opening	4-9/16" Fingerjoint	4-9/16" Solid	5-1/4" Solid	6-9/16" Solid	6-9/16" Fingerjoint
3'0" x 6'8"	4'4-1/4" x 6'11"***	354.70	499.00	567.70	646.40	414.40

Frame is same price with 10", 12", or 14" sidelight

Specify sidelight Left or Right, from the outside looking in
(.SLLJ - SDLT Lock Jamb, .SLHJ - SDLT Hinge Jamb)



Style D – 2 Sidelights

		2FJ	2S	2514S	26916S	26916FJ
Door Size	Rough Opening	4-9/16" Fingerjoint	4-9/16" Solid	5-1/4" Solid	6-9/16" Solid	6-9/16" Fingerjoint
3'0" x 6'8"	5'5-3/4" x 6'11"***	494.00	696.80	824.10	913.90	575.40

Frame is same price with 10", 12", or 14" sidelights

*Rough opening includes weather-stripped T-astagal with flush bolts
→For a plain T-astagal, deduct 3/8" from rough opening width

**Rough opening includes 12" sidelights
→For each 10" sidelight, deduct 2" from rough opening width
→For each 14" sidelight, add 2" to rough opening width



Effective 02/01/11

Cancels 09/01/08

Exterior Wood Door Units

EDU/DEDU

Door Unit Options

See Page A1 for Standard Specifications, Handing, and Unit Pricing information

Extension Jamb (built up)

For this jamb	Add to this Standard Unit	Singles*	Doubles
9-5/8" FJ Jamb	4-9/16" FJ Jamb	96.90	121.00
9-5/8" Solid Jamb	6-9/16" Solid Jamb	55.00	56.20
14" Solid Jamb	6-9/16" Solid Jamb	111.20	123.00
Intermediate size – rip charge (RDJE)		10.00	10.00

*Add an additional 'Singles' charge for each installed sidelight or transom

Additions to Standard Door Unit

		Singles	Doubles
Alternate Trim	Primed FJ Square Edge Casing 1"x3-1/2" (FJSEC)	28.90	38.60
Size Options	Oversize Single Unit 3'0" to 4'0" Wide	25% to 3'0"	—
	Cut Down Flush Door Height *voids warranty* (CD)	55.55	111.10
	Spread Mull, each, up to 6"	55.55	55.55
Labor/Prep Options	Deadbolt Bore (DB1, DB2)	8.00	8.00
	2-3/4" Backset (234)	8.00	8.00
	Peep Sight Bore (PHOLE)	8.00	8.00
	Hang Customer's Door *subject to approval*	100.00	200.00
Sill Options	Outswing (includes NRP hinge)	8.75	28.90
	Bronze Oak Adjustable	22.70	44.90
	Aluminum Oak Adjustable	10.70	22.00
	Long Sill Horns	28.00	28.00
Hinge Options	4"x4" Solid Brass (3SBHE, 3SBHEBH)	50.00	100.00
	4"x4" Bright Brass Plated (3BBHE, 3BBHEBH)	6.00	12.00
	4"x4" #26D Dull Chrome (326DHE, 326DHEBH)	6.00	12.00

Deductions From Standard Door Unit

		Singles	Doubles
Standard Unit Less:	Threshold Sill (NSS, NDS)	(24.00)	(46.50)
	Weatherstrip (NWS, NWSBH)	(4.00)	(6.20)
	FJ Brick Moulding (NFJB)	(21.70)	(26.00)
	Solid Brick Moulding (NSB)	(44.30)	(53.10)
	Weather-stripped T-astragal (NT)	—	(85.90)

Other Components


Exterior Wood Doors	Section B
Sidelights	Page A4
Transoms	Page A5
Multipoint Locks	Page A6



Effective 02/01/11

Cancels 09/01/08

Entrance Sidelights



HSL/HTR

Pine Sidelights

Description	Size	Item #	List
1 Light IG	10" x 1-3/8"	101I*	271.16
1 Light IG	12" x 1-3/8"	121I	275.16
1 Light IG	14" x 1-3/8"	141I*	311.02
1 Light IG / Raised Panel	10" x 1-3/8"	101PI	271.16
1 Light IG / Raised Panel	12" x 1-3/8"	121PI	275.16
5 Light IG True Divided Light	12" x 1-3/8"	125DVI*	275.16
5 Light Single Glazed	12" x 1-3/8"	125T	195.40
Pine Grille Bars			
Grille Bar with Clips for 10" Sidelight		10BAR	3.50
Grille Bar with Clips for 12" Sidelight		12BAR8	3.50

*non-stock item

DFE/GR

"Energy Guard" Fir Sidelights

Description	Size	Item #	List
1 Light IG (9-3/4" Bottom Rail)	12" x 1-3/4"	EG4701	285.94
1 Light IG / Raised Panel	12" x 1-3/4"	EG4702	303.92
3 Light IG True Divided Light / Raised Panel	12" x 1-3/4"	EG4703	319.00
5 Light IG True Divided Light	12" x 1-3/4"	EG4705	341.04
Full Surround Fir Grilles			
3 Light Grille for 1 LT/RP (EG4702)		GB103	37.08
5 Light Grille for 1 LT (EG4701)		GB105	46.92




Effective 06/23/11

Cancels 09/01/08

Transom Sash & Frames

HTR

1-3/8" Pine Transom Glazed with 7/16" Insulated Glass



Door Size	Sash Width	10" Height		12" Height		12" Height GBG	
		Item #	List	Item #	List	Item #	List
2'8"	32"	3210	87.16	3212	87.16	3212 GBG	98.00
3'0"	36"	3610	93.90	3612	93.90	3612 GBG	104.74
4'0"	48"	Special	Please call	4812	113.68	Special	Please call
5'0"	60-1/2"	6010	156.78	6012	156.78	6012 GBG	172.66
1'0"/3'0"/1'0"	63-1/2"	6310	157.74	6312	157.74	6312 GBG	177.74
5'4"	64-1/2"	6410	157.74	N/A	—	N/A	—
1'2"/3'0"/1'2"	67-1/2"	Special	Please call	6712	157.74	6712 GBG	189.00
6'0"	72-1/2"	7210	181.36	7212	181.36	7212 GBG	203.40
6'0" HPD	73-1/2"	7310	181.36	Special	Please call	N/A	—

Grille Bars

10" division bar (5-7/8" O.A.)	10BAR	3.50
12" division bar (8" O.A.)	12BAR8	3.50

Transom Sash Installed in a Unit

Add Sash Price and Framing Charge to Standard Unit List

Framing Charge

4-9/16" FJ Jamb	135.30
4-9/16" Solid Jamb	212.10
6-9/16" FJ Jamb	167.10
6-9/16" Solid Jamb	295.80



Effective 02/01/11


Cancels 09/01/08

Multipoint Locking System

HAR




High Security
Stainless Steel
Three-Point
Locking System



- Complete stainless steel
- Available in 45mm backset.
- 16 mm euro groove.
- 6'-8" and trimable 8'-0" sizes
- Non-handed anti-slam/anti-mishandling feature.
- Accepts handle sets with 3.62" (92mm) hole spacing (center of spindle to cover of key cylinder)
- Lock tongues work in opposing directions for maximum security and weatherstrip compression.
- Screw supports prevent face bar from flexing during installation, encouraging smooth operation.

Straight and architectural handsets available in brushed nickel and oil rubbed bronze finishes. Brass available as special order only.



10-Year Limited Warranty • Force Resistant
Corrosion Resistant • Euro Cylinder/U.S. Adaptor

IMPERIAL PRODUCTS
by Homeshield a Qualex company

451 Industrial Parkway, Richmond, Indiana 47374

Description	Item #	List
Construction Handle	CHANDLE	16.58
Latch Assembly 6'8" Height	MPLS68LATCH	259.76
Latch Assembly 8'0" Height	MPLS80LATCH	294.94
Lock Trim Regency LH Brushed Nickel	MPLSTRIMLHBN	278.68
Lock Trim Regency RH Brushed Nickel	MPLSTRIMRHBN	278.68
Lock Trim Regency LH Oil Rubbed Bronze	MPLSTRIMLHORB	278.68
Lock Trim Regency RH Oil Rubbed Bronze	MPLSTRIMRHORB	278.68



Effective 02/01/11

Replaces New


Exterior Door Frames & Components

JBEX

Exterior Door Frames - Knocked Down

5/4" Rabbeted Jambs • 1-1/4 x 2" Brick Moulding • No Sill

Door Size	4-9/16" Solid	4-9/16" FJ	5-1/4" Solid	6-9/16" Solid	6-9/16" FJ
2'8" x 6'8"	149.60 (28458SSET)	70.80 (28458FJSET)	—	—	—
3'0" x 6'8"	149.60 (30458SSET)	70.80 (30458FJSET)	188.40 (30514SSET)	211.60 (306916SSET)	—
3'0" x 7'0"	151.96 (307456SSET)	—	—	—	—
6'8" Side Jambs Only	82.20/pair	36.90/pair	—	136.10/pair	56.90/pair



T-Astragals

Size	Description	Item #	List
6'8", 1-3/4"	Weather-stripped w/ Flush Bolts	68TAEQ	89.76
7'0", 1-3/4"	Weather-stripped w/ Flush Bolts	70TAEQ	91.34

Compression Weatherstrip Set

Single Door	7.00
Double Door	10.50

Vinyl Door Sweep (4 fin, brown)

2'8" Width	4.90
3'0" Width	4.90

Door Sills & Sill Pans

JBEX

Aluminum Threshold Sills


- 4-5/8" with 2" horns
- Thermal Break

Size	Inswing - Adjustable Oak Riser		Inswing - Fixed		Outswing - Fixed	
	Item #	List	Item #	List	Item #	List
2'8" (32-3/16")	32OAKADJ	32.10	32A112	22.32	321600458	30.70
3'0" (36-3/16")	36OAKADJ	34.02	36A112	23.64	361600458	32.82
6'0" (73-1/8")	72OAKADJ	66.58	72A112	46.06	721600458	74.56
2" Extender for 3'0"			EE36	10.20		
2" Extender for 6'0"			A112C	23.34		

SILLPAN

Door Sill Pans

- REDUCES RISK OF WATER DAMAGE TO INTERIOR CARPETS & HARDWOOD FLOORS.
- REDUCES TIME REQUIRED TO INSTALL DOOR
- INCREASES PERFORMANCE OF THE SILL
- ONE PIECE CONSTRUCTION ON MOST MODELS
- WORKS ON CONVENTIONAL FRAMING (2X4 & 2X6)
- EASY & FAST TO INSTALL



4-9/16" Jamb

6-9/16" Jamb

Size	Unit	Item #	List	Item #	List
33-3/4"	2'8" Single	SP33754	15.92	SP33756	19.80
37-3/4"	3'0" Single	SP37754	17.20	SP37756	21.38
50-1/4"	4'0" Bihung	SP5025C4	19.42	SP5025C6	24.28
62-1/4"	5'0" Bihung	SP62254	20.54		
66-1/4"	5'4" Bihung	SP66254	21.10	SP66256	27.94
74-1/4"	6'0" Bihung	SP74254	22.94	SP74256	29.24
63-1/4"	5'0" Patio	SP6325C4	22.16		
64-3/4"	1'0"/3'0"/1'0"	SP6475C4	22.16	SP6475C6	29.34
72"	Adjustable w/ sealant	SPADJ4	47.48	SPADJ6	58.34

Less 5% on full cartons	
2'8" & 3'0"	20 per carton
All others	10 per carton



Effective 02/01/11

Cancels 09/01/08

RANDOLPH-BUNDY

Introduces Cumara™ Series Doors
by RightConcept™



3/4 Rectangle Magnolia™ Patina Lite
Cherry Finish



3/4 Rectangle
Magnolia™ Patina Lite
Cherry Finish



3/4 Oval
Magnolia™ Patina Lite
Cherry Finish



3/4 Rectangle
Magnolia™ Patina Lite
Cherry Finish



Center Arch
Magnolia™ Zinc Lite
Cherry Finish



Center Arch
Magnolia™ Zinc Lite
Cherry Finish

All CUMARA™ doors shown are available in 36" (35-3/4") width and 80" (79") heights.
All CUMARA™ sidelites are shown in 12" (11-7/8"). Double door units available.

Factory Finished Fiberglass Doors That Look Like Mahogany



Cherry Finish



Magnolia™ Zinc Caming

Magnolia™ Patina Caming

Cumara™ Series Doors

The Look of Mahogany Without Wood Door Problems

- Dent Resistant Fiberglass Skin
- No Exposed Wood to Rot; LVL Stiles With Non-Rot Composite Cap, Non-Rot Top and Bottom Rails, LVL Lockblock
- 25 Year Limited Warranty on Door and Sidelite

No Finishing Required on Door or Sidelite Slab

- Durable Factory Finish with Polyurethane Topcoat with UV Protection
- Cherry Finish
- 2 Year Limited Warranty of Finish

Triple Insulated Decorative Doorlites

- Energy Efficient
- Choose From Zinc or Patina Caming
- 10 Year Limited Warranty on Doorlite

Thermal Performance

(Inswing or Outswing)

DOOR STYLE	SHGC	U-VALUE
Opaque	.01	.16
3/4 Rectangle	.19	.29
3/4 Oval	.11	.24
3/4 Sidelite	.13	.28
Full Sidelite	.17	.31

NET DOOR PANEL SIZE	36" (35-3/4" x 79")
NET SIDELITE PANEL SIZE	12" (11-7/8" x 79")

CONFIGURATION	NOMINAL UNIT DIMENSION	ROUGH OPENING	BRICKMOLD DIMENSION	LIST PRICE (4-9/16" FRAME*)	LIST PRICE (6-9/16" FRAME*)
	3/0 x 6/8	38-1/4" x 82"	40" x 82-3/4"	\$1980	\$2060
	3/0 x 1/0 x 6/8	51-3/4" x 82"	53-1/2" x 82-3/4"	\$3298	\$3384
	1/0 x 3/0 x 1/0	65-1/4" x 82"	67" x 82-3/4"	\$4449	\$4551

*Pre-hung Spec: Pre-finished White Composite Frame with Bronze Sill and Bronze Hinges

Door Unit Construction: Door unit constructed with a Rot Resistant White Capped High Performance Composite Frame, and White PVC Brickmould, which does not need to be finished. Bronze Adjustable Thermally Broken Sill, Oil Rubbed Bronze Hinges, and Dark Tone Weather strip.

Cleaning Your RightConcept™ Door: To clean door, periodically wipe door with soft damp (water) cloth. Do not attempt to clean with chemicals, solvents, or harsh abrasives as this will damage the finish.

Maintaining Your RightConcept™ Door: RightConcept™ recommends a reapplication of high quality Satin Exterior Polyurethane with Ultraviolet Inhibitors every 2-3 years. RightConcept™ does not recommend stripping the finish. In locations with severe exposure to weather and sunlight, more frequent maintenance may be required.

RightConcept™ Factory Finishes are individually handcrafted. As a result of this unique handcrafted finishing process, natural variations between finishes may occur, and are part of the beauty of the Door.

RightConcept™ Decorative Door Lites are individually handcrafted utilizing art glass. Each Door Lite reflects the unique character of the glass itself; bubbles, swirls, and varying textures, all contribute to the beauty of the Decorative Door Lite.

© 2011 RightConcept™ Inc. Rev.6/11

Distributed By

Randolph-Bundy
4012 Seaboard Court
Portsmouth, VA 23701

Phone: (757) 625-2556

Novatech Patio Doors

NOVA

Imagine Series DP 50 Sliding Door

5-7/8" Frame Width - can be installed in 4-9/16" or 6-9/16" wall

Size	Screen Type	Clear w/ Low-E	15 Light GBG w/ Low-E	Clear w/ Tilt Blinds	Clear w/ Raise-Lower Blinds
5'0" x 6'8"	Sliding	1683.46	1785.46	1,617.92*	2025.16
5'0" x 6'8"	Retractable	1780.36	1882.46	—	—
6'0" x 6'8"	Sliding	1775.26	1877.26	—	2116.96
6'0" x 6'8"	Retractable	1872.16	1974.16	—	—

*Discontinued - subject to inventory on hand



OF = Operating left
Fixed right
(XO)



FO = Fixed left
Operating right
(OX)

Rough Opening	Overall Dimensions
5'0" x 6'8"	59-1/4" x 79-1/2"
6'0" x 6'8"	71-1/4" x 79-1/2"

DP 50 single and double swinging patio doors are also available, by special order

QUANTITY DISCOUNTS FOR SAME SIZE AND KIND DROP SHIPMENT

5 DOORS LESS 5%
10 DOORS LESS 8%

For larger quantities or mixed quantities call for quote

SHOWROOM DISPLAYS AVAILABLE

Free after purchase of 10 doors



Effective 08/05/11

Cancels 02/01/11