


Masonite. The Beautiful Door. ®
ROUGH OPENING DIMENSIONS

6'8" HEIGHT FIBERGLASS, HD STEEL, & BUILDER'S GRADE DOORS					
New Construction Rough Opening Dimensions – Swing In Doors					
DOOR SIZE	OPENING TYPE	Wood Frame Unit		Door w/14" Sidelight*	
		WIDTH	HEIGHT	SINGLE	DOUBLE
Single Door 2'6" x 6'8"	Rough Opening	2'8 ¹ / ₄ "	6'10"	3'11 ³ / ₄ "	5'3 ¹ / ₄ "
	Brick Dimension**	2'10"	6'10 ³ / ₄ "	4'1 ¹ / ₂ "	5'5"
Single Door 2'8" x 6'8"	Rough Opening	2'10 ¹ / ₄ "	6'10"	4'1 ³ / ₄ "	5'5 ¹ / ₄ "
	Brick Dimension**	3'0"	6'10 ³ / ₄ "	4'3 ¹ / ₂ "	5'7"
Single Door 3'0" x 6'8"	Rough Opening	3'2 ¹ / ₄ "	6'10"	4'5 ³ / ₄ "	5'9 ¹ / ₄ "
	Brick Dimension**	3'4"	6'10 ³ / ₄ "	4'7 ¹ / ₂ "	5'11"
Single Door 3'6" x 6'8"	Rough Opening	3'8 ¹ / ₄ "	6'10"	4'11 ³ / ₄ "	6'3 ¹ / ₄ "
	Brick Dimension**	3'10"	6'10 ³ / ₄ "	5'1 ¹ / ₂ "	6'5"
Double Door 5'0" x 6'8"	Rough Opening	5'2 ³ / ₄ "	6'10"	6'6 ¹ / ₄ "	7'9 ³ / ₄ "
	Brick Dimension**	5'4 ¹ / ₂ "	6'10 ³ / ₄ "	6' 8"	7'11 ¹ / ₂ "
Double Door 5'4" x 6'8"	Rough Opening	5'6 ³ / ₄ "	6'10"	6'10 ¹ / ₄ "	8'1 ³ / ₄ "
	Brick Dimension**	5'8 ¹ / ₂ "	6'10 ³ / ₄ "	7' 0"	8'3 ¹ / ₂ "
Double Door 6'0" x 6'8"	Rough Opening	6'2 ³ / ₄ "	6'10"	7'6 ¹ / ₄ "	8'9 ³ / ₄ "
	Brick Dimension**	6'4 ¹ / ₂ "	6'10 ³ / ₄ "	7'8"	8'11 ¹ / ₂ "
Sidelight Only	Rough Opening	N/A	6'10"	1'4 ¹ / ₄ "	N/A
	Brick Dimension**	N/A	6'10 ³ / ₄ "	1'6"	N/A

8'0" HEIGHT FIBERGLASS & HD STEEL DOORS					
New Construction Rough Opening Dimensions – Swing In Doors					
DOOR SIZE	OPENING TYPE	Wood Frame Unit		Door w/14" Sidelight*	
		WIDTH	HEIGHT	SINGLE	DOUBLE
Single Door 2'6" x 8'0"	Rough Opening	2'10 ¹ / ₄ "	8'2"	4'1 ³ / ₄ "	5'5 ¹ / ₄ "
	Brick Dimension**	2'10"	8'2 ³ / ₄ "	4'3 ¹ / ₂ "	5'7"
Single Door 2'6" x 8'0"	Rough Opening	3'2 ¹ / ₄ "	8'2"	4'5 ³ / ₄ "	5'9 ¹ / ₄ "
	Brick Dimension**	3'4"	8'2 ³ / ₄ "	4'7 ¹ / ₂ "	5'11"
Double Door 6'0" x 8'0"	Rough Opening	5'6 ³ / ₄ "	8'2"	6'10 ¹ / ₄ "	5'6 ³ / ₄ "
	Brick Dimension**	5'8 ¹ / ₂ "	8'2 ³ / ₄ "	7'0"	5'8 ¹ / ₂ "
Double Door 6'0" x 8'0"	Rough Opening	6'2 ³ / ₄ "	8'2"	7'6 ¹ / ₄ "	8'9 ³ / ₄ "
	Brick Dimension**	6'4 ¹ / ₂ "	8'2 ³ / ₄ "	7'8"	8'11 ¹ / ₂ "
Sidelight Only	Rough Opening	N/A	8'2"	1'4 ¹ / ₄ "	N/A
	Brick Dimension**	N/A	8'2 ³ / ₄ "	1'6"	N/A

*If using 12" sidelights, subtract 2" from the opening width for a single sidelight, and 4" for double sidelights.

**Brick dimension is measured from outside edge of brick mould on door unit.

6'6" units subtract 2" from height, 7'0" units add 4" to height and for outswing doors (with bumper sills) subtract 7/8" from overall height of opening.



Effective 04/01/11


Cancels 09/01/08

HD Steel Units


SDU




Flush (A1)




Camber Top 2-Panel (B)



Arch Top 3-Panel (C)



Blank Top 4-Panel (D)



New England 4-Panel (E)

	A1		B		C		D		E	
	Wood Edge	Steel Edge	Wood Edge	Steel Edge	Wood Edge	Steel Edge	Wood Edge	Steel Edge	Wood Edge	Steel Edge
2'0" x 6'8"	329.30	422.55*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2'6" x 6'8"	329.30	345.30	N/A	N/A	N/A	N/A	414.40*	428.10*	N/A	N/A
2'8" x 6'8"	333.50	349.00	414.85*	428.10*	337.10	428.10*	337.10	428.10*	337.10	428.10*
2'10" x 6'8"	416.95*	432.55*	497.80*	433.30*	420.55*	433.30*	419.85*	433.30*	419.85*	433.30*
3'0" x 6'8"	339.70	355.30	497.80*	433.30*	343.30*	433.30*	342.60	433.30*	342.60	433.30*
3'6" x 6'8"	500.80	605.60*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
BIHUNGS										
4'0" x 6'8"	692.70	S/O	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
5'0" x 6'8"	693.90	724.70	N/A	N/A	N/A	N/A	746.90*	819.60*	N/A	N/A
5'4 x 6'8"	701.10	732.10	785.55*	820.20*	708.30	820.30*	708.30	819.60*	708.30	820.20*
6'0 x 6'8"	708.90	739.90	793.35*	828.00*	716.10	828.00*	716.10	828.00*	716.10	828.00*

*non-stock item

All doors shown are panels only, prehung in 4-9/16" jambs with brick moulding and aluminum thermal break adjustable sill. Appropriate lights are designated & priced as installed in the RSL Clear and Decorative Doorglass section on pages EE 1-15. Add all other desired modifications from page 6 for your total price.




Effective 04/01/11


Cancels 09/01/08

HD Steel Units


SDU



6-Panel (F)



Parliament 8-Panel (G)



9-Panel (H)



Flush (I)



Universal 2-Panel (J)

	F		G		H	
	Wood Edge	Steel Edge	Wood Edge	Steel Edge	Wood Edge	Steel Edge
2'6" x 6'8"	N/A	379.80*	N/A	N/A	N/A	N/A
2'8" x 6'8"	337.10	354.40	414.35*	431.65*	414.40*	428.10*
2'10" x 6'8"	419.85*	433.30*	419.85*	433.30*	419.90*	433.30*
3'0" x 6'8"	342.60	359.90	419.85*	433.30*	419.90*	433.30*
BIHUNGS						
5'0" x 6'8"	701.10	819.60*	N/A	N/A	N/A	N/A
5'4 x 6'8"	708.30	742.90	785.55*	820.30*	785.60*	820.20*
6'0 x 6'8"	716.10	750.70	793.35*	828.00*	793.40*	828.00*

Boxed Sidelight Units

	I	J
	Wood Edge	Wood Edge
10" x 6'8"	S/O	S/O
12" x 6'8"	248.20	248.20
14" x 6'8"	248.20	248.20

*non-stock item

All doors shown are panels only, prehung in 4-9/16" jambs with brick moulding and aluminum thermal break adjustable sill. Appropriate lights are designated & priced as installed in the RSL Clear and Decorative Doorglass section on pages EE 1-15. Add all other desired modifications from page 6 for your total price.



Effective 04/01/11


Cancels 09/01/08

Belleville Smooth Fiberglass Units


PDU




Flush (A1)




Arch Top 3-Panel (C)




Blank Top 4-Panel (D)




6-Panel (F)




Parliament 8-Panel (G)




Square Top 2-Panel (K)




Blank Top 6-Panel (L)



6-Panel Camber Top (R)



Flush (I)



Universal 2-Panel (J)

	A1	C	D	E	F	G	K	L	R
2'0" x 6'8"	394.90	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
2'6" x 6'8"	394.90	N/A	N/A	N/A	394.90	N/A	N/A	N/A	N/A
2'8" x 6'8"	394.90	472.15*	394.90	472.15*	394.90	N/A	472.15*	472.15*	472.15*
2'10" x 6'8"	472.15*	472.15*	472.15*	472.15*	472.15*	472.15*	472.15*	472.15*	472.15*
3'0" x 6'8"	397.20	397.20	397.20	397.20	397.20	472.15*	397.20	472.15*	472.15*
BIHUNGS									
4'0" x 6'8"	848.80	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
5'0" x 6'8"	848.80	N/A	N/A	N/A	848.80	N/A	N/A	N/A	N/A
5'4" x 6'8"	848.80	926.05*	848.80	926.05*	848.80	N/A	926.05*	926.05*	926.05*
6'0" x 6'8"	848.80	848.80	848.80	848.80	848.80	926.05*	848.80	926.05*	926.05*
Boxed Sidelight Units	I	J							
10" x 6'8"	338.80*	N/A							
12" x 6'8"	300.20	300.20							
14" x 6'8"	300.20	300.20							

*non-stock item

All doors shown are panels only, prehung in 4-9/16" jambs with brick moulding and aluminum thermal break adjustable sill. Appropriate lights are designated & priced as installed in the RSL Clear and Decorative Doorglass section on pages EE 1-15. Add all other desired modifications from page 6 for your total price.



Effective 04/01/11


Cancels 09/01/08

Oakcraft Textured Fiberglass Units


PDU




Flush (A1)




Arch Top 3-Panel (C)



Blank Top 4-Panel (D)



6-Panel (F)



New England 4-Panel (E)



Flush (I)



1 Panel (M)



1 Panel 3/4 Cutout (Q)

	A1	C	D	F	P
2'0" x 6'8"	S/O	N/A	N/A	N/A	N/A
2'6" x 6'8"	469.00	N/A	N/A	469.00	N/A
2'8" x 6'8"	469.00	546.20*	546.20*	469.00	S/O
2'10" x 6'8"	548.10*	548.10*	548.10*	548.10*	548.10*
3'0" x 6'8"	471.30	471.30	471.30	471.30	471.30
BIHUNGS					
4'0" x 6'8"	S/O	N/A	N/A	N/A	N/A
5'0" x 6'8"	1051.30	N/A	N/A	1051.30	N/A
5'4" x 6'8"	1051.30	1204.90*	1204.90*	1051.30	1204.90*
6'0" x 6'8"	1051.30	1051.30	1051.30	1051.30	1051.30
Boxed Sidelight Units	I	M	Q		
10" x 6'8"	393.50*	N/A	N/A		
12" x 6'8"	354.90	354.90	354.90		
14" x 6'8"	354.90	354.90	354.90		

*non-stock item

All doors shown are panels only, prehung in 4-9/16" jambs with brick moulding and aluminum thermal break adjustable sill. Appropriate lights are designated & priced as installed in the RSL Clear and Decorative Doorglass section on pages EE 1-15. Add all other desired modifications from page 6 for your total price.



Effective 04/01/11

Cancels 09/01/08

Standard Unit Options

Options apply to units priced on pages E2-5

BASE PRICE INCLUDES 4-9/16" WOOD JAMB, WOOD BRICK MOULDING, MILL FINISH PERFORMANCE ADJUSTABLE SILL, ZINC CHROMATE HINGES, AND SINGLE BORE

INSWING JAMBS	Single	Single w/1 Sidelight	Single w/2 Sidelights	Double
5-1/4" Jamb Width	36.60	63.80	96.00	51.80
6-9/16" Jamb Width	44.10	110.60	177.10	62.00
9" Jamb Width	114.90	242.80	370.70	150.10
14" Jamb Width	174.60	320.60	466.60	219.80
Non-Standard Jamb Width	Go to next larger standard jamb width cost			
Fixed Thermal Sill – deduct	(15.30)	(15.30)	(15.30)	(32.40)

OUTSWING JAMBS - FIXED SILL, SLOPE, OR BUMPER	Single	Single w/1 Sidelight	Single w/2 Sidelights	Double
4-9/16" Jamb Width	4.60	4.60	4.60	5.30
5-1/4" Jamb Width	45.80	73.00	100.20	71.80
6-9/16" Jamb Width	57.50	124.00	190.50	80.50

PERFORMANCE JAMBS AND PERMA BRICK MOULDING		Single	Double	Single w/1 Sidelight	Single w/2 Sidelights
Inswing	4-9/16" Jamb Width, White	92.40	118.60	153.30	294.40
	6-9/16" Jamb Width, White	158.50	185.80	201.90	360.60
	4-9/16" Jamb Width, Woodgrain	111.30	215.30	288.70	392.40
	6-9/16" Jamb Width, Woodgrain	176.70	283.70	366.00	460.20
Outswing	4-9/16" Jamb Width, White	97.00	120.70		
	6-9/16" Jamb Width, White	163.10	187.90		
	4-9/16" Jamb Width, Woodgrain	115.90	215.60		
	6-9/16" Jamb Width, Woodgrain	181.30	284.00		

OPTIONS	Single	Single w/1 Sidelight	Single w/2 Sidelights	Double
A.D.A. Sill	5.10	N/A	N/A	8.00
Brick Moulding, none – deduct	(22.30)	(24.90)	(24.90)	(24.90)
Spring Hinges (standard: zinc chromate, 2 per door)	40.00	40.00	40.00	80.00
PVC Brick Moulding	13.00	23.40	23.40	23.40

DOOR PREP	
Deadbolt bore (standard: 5-1/2" up from center of lock bore with 2-1/8" face bore)	8.00
Peep sight bore (standard: 59" from bottom of door on center line with 1/2" bore)	8.00
Mail slot cut out (standard: 11-1/2" x 2-11/16")	16.00
Door light cut out	11.20



Effective 04/01/11

Cancels 09/01/08


Builder's Utility Grade 26GA Steel Units

UDU


4-9/16" JAMB WITH BRICK MOULDING AND FIXED ALUMINUM THERMAL BREAK SILL



Flush (A1)



Blank Top 4-Panel (D)



6-Panel (F)



Flush (I)



Universal 2-Panel (J)

	A1	D	F
2'0" x 6'8"	♦	N/A	N/A
2'6" x 6'8"	♦	♦	♦
2'8" x 6'8"	289.10	292.80	292.80
2'10" x 6'8"	S/O	S/O	S/O
3'0" x 6'8"	295.80	299.50	299.50
BIHUNGS			
4'0" x 6'8"	♦	N/A	N/A
5'0" x 6'8"	♦	♦	♦
5'4" x 6'8"	593.40	600.80	600.80
6'0" x 6'8"	601.40	608.80	608.80

Boxed Sidelight Units

	I	J
10" x 6'8"	S/O	S/O
12" x 6'8"	248.20	242.70
14" x 6'8"	248.20	♦

♦For selections in these sizes, see the Masonite Steel HD series (P. E2-3)

4-9/16" Outswing Jamb Adders	
2'8"	12.20
3'0"	14.10
5'4"	32.40
6'0"	32.40

6-9/16" Jamb Adders	
Single Inswing	49.00
Single Outswing	63.00
Double Inswing	62.90
Double Outswing	96.10
Single w/1 Sidelight	115.50
Single w/2 Sidelights	181.80

Adjustable Sill Adders	
2'8"	10.80
3'0"	11.50
5'4"	24.20
6'0"	24.20

No Brick Moulding Deducts	
Single	(22.30)
Double	(24.90)

BUILDER GRADE HINGED PATIO DOOR 26 GA. STEEL

4-9/16" JAMB WITH BRICK MOULDING AND FIXED ALUMINUM THERMAL BREAK SILL

	15-LT	1-LT	GBG 13/16 (16-LT)	Screen w/ Track (White)
5'4" x 6'8"	925.70	885.70	965.70	195.90 (2'8")
6'0" x 6'8"	933.70	893.70	993.70	197.20 (3'0")




Effective 04/01/11

Cancels 09/01/08

Fire-Rated Steel Units

SDU



THE ULTIMATE ADJUSTABLE KERFED STEEL DOOR FRAME

FAST-FRAME'S advanced design adds a new dimension of flexibility and durability to Masonite's steel entry door line. Developed and manufactured exclusively for Masonite by Timely, FAST-FRAME™ features full 1" of adjustability to accommodate almost any variation in wall construction. This easy-to-install, user-friendly, kerfed steel door frame system is applicable to a full range of residential and commercial applications – wood or steel stud construction. Timely's expertise in innovating and manufacturing steel door frame components is second to none. FAST-FRAME is engineered to meet the most stringent code requirements including structural, impact and 90-minute fire ratings.

Fire Rated Door Units

- Specify inswing or ADA sill
- 2 spring hinges per door included
- Double doors include z-astragal

A. Choose door size and panel style

B. Add proper size outer adjustable closure span (includes sill)

	A			B		
	90 Minute LK-1 6-Panel	90 Minute LD-1 Flush	20 Minute K-1 6-Panel	4-1/2" to 5-1/2"	5-1/2" to 6-1/2"	6-1/2" to 7-1/2"
2'8" x 6'8"	462.00	457.00	450.00	81.78	99.00	117.00
3'0" x 6'8"	466.00	462.00	454.00	81.78	104.00	117.00
3'0" x 7'0"	569.00	564.00	556.00	104.28	125.00	138.00
5'0" x 6'8"	♦	872.00	702.00	165.39	♦	♦
6'0" x 6'8"	789.00	888.00	717.00	186.39	♦	♦

♦ sizes available by special order, in addition to closure spans up to 10-1/2"

Optional

Deadbolt bore	5-1/2" from center of lock bore with 2-1/8" face bore	8.00
Warnock-Hersey label*	Allow for extended lead time	4.00

*standard doors have a Masonite 20 or 90 minute affidavit label at no additional charge

Fast-Frame can be used with any Masonite entry door, as well as any 1-3/4" wood door sized to Masonite dimensions. Jamb 4-1/2" to 10-1/2" wide. Please call for pricing on these options.



Effective 07/01/11

Cancels 09/01/08

HD Steel Retrofit Patio Doors

SDU

Standard Features:

- 4-9/16" primed wood frame with brick moulding
- Double lock bore
- High-dam threshold and quality door bottom
- Choice of insulated glass insert (for other selections see section EE)



5'0"x6'8" or 6'0"x6'8" 5'0"x6'8" or 6'0"x6'8"

Unit With:	Center Hinged Inswing LH/RH	French Inswing LH/RH
1 Light IG	1,040.06	984.06
15 Light IG	1,043.06	987.06
15 Light GBG IG	1,102.42	1,046.42
Lift & Tilt Blinds IG	1,387.78	1,331.78
Screen door	add 106.60	add 200.00
6-9/16" Jamb	add 66.00	N/A

Center-Hinged Inswing							
Nominal Door Size		Actual Door Unit Size		Rough Opening Size (wood stud)		Outside Brickmould Size	
Width	Height	Width	Height	Width	Height	Width	Height
5'0"	6'8"	59-3/4"	79-1/2"	60-1/2"	80"	62-1/4"	80-3/4"
6'0"	6'8"	71-3/4"	79-1/2"	72-1/2"	80"	74-1/4"	80-3/4"

French Inswing							
Nominal Door Size		Actual Door Unit Size		Rough Opening Size (wood stud)		Outside Brickmould Size	
Width	Height	Width	Height	Width	Height	Width	Height
5'0"	6'8"	59-1/4"	79-1/2"	60"	80"	61-3/4"	80-3/4"
6'0"	6'8"	71-1/4"	79-1/2"	72"	80"	73-3/4"	80-3/4"



Effective 10/01/11

Cancels 09/15/11


New Construction Patio Doors

SDU/PDU

4-9/16" PRIMED JAMB, COMPRESSION WEATHERSTRIP, MILL FINISH ADJUSTABLE SILL, ZINC DICHROMATE HINGES, SINGLE BORE



Double Unit Open for inserts (2 inserts required)	HD Steel	Smooth Fiberglass	Textured Fiberglass
5'0" x 6'8"	741.40	864.80	1019.70
5'4" x 6'8"	748.80	864.80	1019.70
6'0" x 6'8"	756.30	864.80	1019.70



Triple Unit End Door Operates (3 inserts required)	HD Steel	Smooth Fiberglass	Textured Fiberglass
7'6" x 6'8"	1086.50	1268.60	1506.40
8'0" x 6'8"	1116.70	1301.40	1525.10
9'0" x 6'8"	1130.00	1301.40	1525.10



Triple Unit Center Door Operates (3 inserts required)	HD Steel	Smooth Fiberglass	Textured Fiberglass
7'6" x 6'8"	1138.10	1331.10	1554.90
8'0" x 6'8"	1172.50	1357.20	1580.90
9'0" x 6'8"	1185.80	1357.20	1580.90

Jamb Options	4-9/16"	6-9/16"
White Permaframe for 5'0", 5'4", 6'0"	225.00	328.40
Woodgrain Permaframe for 5'0", 5'4", 6'0"	245.40	371.90
Primed for 5'0", 5'4", 6'0"	Standard	68.70
Primed for 7'6", 8'0", 9'0" <u>center active</u>	Standard	99.40

Screens for New Construction Hinged Patio Units		
2'6" White	31" x 78-7/8"	195.90
2'8" White	33" x 78-7/8"	195.90
3'0" White	37" x 78-7/8"	197.20



Effective 04/01/11

Cancels 09/01/08